



Report #:

COA261076-004

Page 1 of 2

Title:

Certificate of Analysis (CoA)



Date: 8/21/2026
Date Tested: 8/20/2026
Customer: Vertex Labs
Testing material: Retatrutide
Lot Number: RT0000039
Sample ID: BTL261076-004
Content/Potency: 60 mg
Storage: R.T.
Visual Description: Small clear vial: white sample, white label, silver crimp, red plastic cap.
Labeled as: GLP-3 RT
Manufacturer: VERTEX LABS
Testing Purpose: FTIR and HPLC analysis for the identification, purity, potency and composition of a peptide product. It does not provide information on particulate matter, microbial contamination or presence of endotoxins.



Test	Method	Specification	Result
General Appearance	USP <630>	white powder	white powder
Mass	USP <41>	As recorded	107.6 mg
FTIR Identification and Composition Analysis	USP <197A>	Sample spectrum should confirm the content of peptide via characteristic bands	FTIR sample spectrum confirms the presence of Retatrutide with addition of excipient(s)/fillers.
HPLC Purity of Peptide Assay	USP <621>	Specifications: $\geq 98\%$	99.8 %
HPLC Potency Assay	USP <621>	Specifications: 90 – 110% of 60 mg	69.9 mg (116.5 %)
Peptide-to-Excipients Ratio	USP <1151>	Recommended ratios of (1:2) to (1:10) for (peptide: excipients)	69.9 : 37.7 mg (1:0.5)

The results of the CoA relate only to the item(s) tested and applied to the sample as received.

Andrea Castro, BS
Scientist-II
BTLabs

Escarlet Cabrieles, BS
Scientist-II
BTLabs


5601 Corporate Way | Suite 206 | West Palm Beach, FL 33407
Phone: (561) 625-0133
E-mail: info@btlabtesting.com | Website: <https://btlabtesting.com>

Title:


Certificate of Analysis (CoA)



FTIR ID and Composition Analysis: Retatrutide Lot RT0000039



HPLC Purity and Potency Assay @ 280 nm: Retatrutide Lot RT0000039



Retatrutide Lot RT0000039 @ 280 nm

Peak #:	Retention Time (min)	Area (mAU*s)
1	8.629	1596