



Report #:

COA261120-001

Page 1 of 2

Title:

Certificate of Analysis (CoA)



Date: 8/21/2026
Date Tested: 8/20/2026
Customer: Vertex Labs
Testing material: Retatrutide
Lot Number: RT0000041
Sample ID: BTL1120-001
Content/Potency: 30 mg
Storage: R.T.
Visual Description: Small clear vial: white sample, white label, silver crimp, black plastic cap.
Labeled as: GLP-3 RT
Manufacturer: Vertex Labs
Testing Purpose: FTIR and HPLC analysis for the identification, purity, potency and composition of a peptide product. It does not provide information on particulate matter, microbial contamination or presence of endotoxins.



Test	Method	Specification	Result
General Appearance	USP <630>	white powder	white powder
Mass	USP <41>	As recorded	101.1 mg
FTIR Identification and Composition Analysis	USP <197A>	Sample spectrum should confirm the content of peptide via characteristic bands	FTIR sample spectrum confirms the presence of Retatrutide with addition of excipient(s)/fillers.
HPLC Purity of Peptide Assay	USP <621>	Specifications: $\geq 98\%$	99.8 %
HPLC Potency Assay	USP <621>	Specifications: 90 – 110% of 30 mg	30.4 mg (101.4 %)
Peptide-to-Excipients Ratio	USP <1151>	Recommended ratios of (1:2) to (1:10) for (peptide: excipients)	30.4 : 70.7 mg (1:2.3)

The results of the CoA relate only to the item(s) tested and applied to the sample as received.

Andrea Castro, BS
Scientist-II
BTLabs

Escarlet Cabrieles, BS
Scientist-II
BTLabs

5601 Corporate Way | Suite 206 | West Palm Beach, FL 33407
Phone: (561) 625-0133

E-mail: info@btlabtesting.com | Website: <https://btlabtesting.com>

IF-824-QSA-TR006

Rev 1.1 August 2026



Report #:

COA261120-001


Page 2 of 2

Title:


Certificate of Analysis (CoA)



FTIR ID and Composition Analysis: Retatrutide Lot RT0000041



HPLC Purity and Potency Assay @ 280 nm: Retatrutide Lot RT0000041



Retatrutide Lot RT0000041 @ 280 nm

Peak #:	Retention Time (min)	Area (mAU*s)
1	8.654	965.6